



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10**

1200 Sixth Avenue, Suite 155
Seattle, WA 98101-3140

OFFICE OF
AIR AND WASTE

December 3, 2018

Mr. Jason Evens
General Manager
US Ecology Idaho
20400 Lemley Road
Grand View, Idaho 83624

Re: TSCA Facility Inventory and Status Request
US Ecology Idaho, Inc. Grand View, Idaho
Environmental Protection Agency ID No. IDD073114654

Dear Mr. Evens:

The U.S. Environmental Protection Agency has been informed that the PCB Processing Building was impacted by the November 17, 2018 explosion at the Containment Building. In accordance with USEI's TSCA Approval Condition I.K., Duty to Provide Information, provide a report of the current inventory of TSCA waste in storage at the facility and a brief description of the operational status for each PCB unit. The status for each unit must include an initial determination as to whether the unit can be repaired or will need to be demolished and closed. If any of the PCB units must be demolished, evaluate the need to update the closure plan in the current approval to accommodate demolition activities.

The evaluation of whether a closure plan must be updated to accommodate demolition activities is due January 16, 2019. The requested inventory and status report is due within 30 days of receipt of this letter. For each unit where the associated closure plan must be updated, provide a request pursuant to Approval Condition II.J.5.c to modify the approval to incorporate the updated closure plan no later than sixty days from November 17, 2018 (January 16, 2019). Please contact me with any questions by e-mail at castrilli.laura@epa.gov or by telephone at (206) 553-4323.

Sincerely,



Expired certificate

X 

Signed by: LAURA CASTRILLI

RCRA Corrective Action, Permits and PCB Unit

cc: Mr. Brian English, IDEQ
Mr. Lon Stewart, IDEQ
Ms. Rebecca Hogaboam, USEI